

Yale Scientists Confirm Covid 'Vaccines' Cause VAIDS

By Frank Bergman | slaynews.com • February 20, 2025 - 12:54 pm



Leading scientists from the world-renowned Yale University have confirmed that Covid mRNA "vaccines" cause vaccine-acquired immunodeficiency syndrome (VAIDS).

A bombshell study conducted by researchers at Yale University School of Medicine found that mRNA injections alter human biology to create long-term spike protein production that increases over time.

The scientists warn that the Covid mRNA vaccines alter T cell immunophenotypes which triggers VAIDS – or "vaccine-induced AIDS."

The study was led by Bornali Bhattacharjee from Yale University School of Medicine.

It was conducted in collaboration with multiple Yale departments, including Immunobiology, Biostatistics, and the Center for Outcomes Research and Evaluation.

[Sleep Apnea: Ingenious Pillow Takes The US By Storm](#) [Cardiologists: Teaspoon On an Empty Stomach Slims Waist from 36 To 22](#)

[Neuropathy is not from Low vitamin B. Meet the Real Enemy of Neuropathy \(Stop Doing This\)](#)

The study also included external contributors from Mount Sinai and other institutions.

The findings were [published](#) in the medRxiv medical journal.

Two of the study's co-senior authors, Harlan Krumholz and Akiko Iwasaki, have been leaders in investigating mRNA shots' links to so-called "Long Covid," which they believe should be renamed "Long Vax."

The study investigates whether individuals experiencing chronic symptoms after Covid vaccination exhibit distinct immunological and antigenic signatures.



The condition is referred to as "post-vaccination syndrome" (PVS).

The authors hypothesize that persistent antigenemia, immune dysregulation, and viral reactivation (e.g., Epstein-Barr Virus) contribute to PVS pathophysiology.

Journalist Alex Berenson, who has been reporting on the research for some time, commented that the study has exposed the link between Covid mRNA "vaccines" and VAIDS.

Alex Berenson  @AlexBerenson · Follow 

I don't use the term VAIDS (vaccine-induced AIDS), but I'm not sure how else to describe the T-cell changes the Yale team is finding.

Alex Berenson  @AlexBerenson

VERY URGENT: Top Yale scientists have found of T-cell exhaustion and prolonged spike protein production in some COVID vaccine recipients - with spike levels INCREASING over time.

This is the study I wrote about in December. The preprint is out. It's very, very worrisome.

11:56 PM · Feb 19, 2025 

 8.5K  Reply  Copy link

[Read 284 replies](#)

Slay the latest News for free!

Email Address *



SUBSCRIBE

We don't spam! Read our [privacy policy](#) for more info.

The Yale researchers conducted a decentralized, cross-sectional case-control study that included 42 individuals with PVS and 22 healthy vaccinated controls.

The participants were recruited from the Yale LISTEN study.

Participants were assessed for immune cell populations, cytokine responses, antibody levels, viral reactivation markers, autoantibodies, and circulating SARS-CoV-2 spike protein.

The study controlled for potential confounding by stratifying participants based on SARS-CoV-2 infection history and adjusting for vaccination status.

[JOIN THE FIGHT - DONATE TO SLAY NEWS TODAY!](#)

The study identified several key immunological alterations in PVS participants.

Altered T cell immunophenotypes were observed, with reduced memory and effector CD4+ T cells, including both Th1 and Th2 subsets, alongside a significant increase in TNF α + CD8+ T cells, indicating heightened inflammatory responses.

Lower anti-spike IgG titers were also noted, correlating with fewer vaccine doses received, and in infection-naïve PVS participants (PVS-I), these levels declined significantly over time post-vaccination.

Additionally, a subset of PVS patients exhibited serological evidence of recent Epstein-Barr Virus (EBV) reactivation, marked by elevated anti-gp42 and anti-gp350 antibodies, with increased gp42 reactivity associated with higher TNF α + CD8+ T cell frequencies, suggesting potential immune dysregulation.

Persistent circulating SARS-CoV-2 spike protein was detected in some PVS participants up to 709 days post-vaccination using the SPEAR immunoassay.

The discovery parallels findings in "long Covid" studies where persistent antigenemia has been linked to prolonged symptoms.

Some sufferers also show distinct biological changes, including differences in immune cells and the presence of Covid "vaccine" spike proteins in their blood, years after taking the shot.

The condition also appears to reawaken a dormant virus in the body called Epstein-Barr which can cause flu-like symptoms, swollen lymph nodes, and nerve issues.

When the researchers analyzed the patients' immune systems, those with PVS had an immunodeficiency syndrome.

While the researchers stopped short of using the term VAIDS, they confirmed that patients with PVS have vaccine-acquired immunodeficiency syndrome.

This finding was confirmed in patients who received their vaccines between 36 and 709 days prior.

The researchers noted that the vaccine-induced AIDS was caused by the Covid mRNA injection's spike protein circulating in the body and increasing in levels over time.

Dr. Iwasaki said: "That was surprising, to find spike protein in circulation at such a late time point."

The spike protein is a "mechanism" that is "underlying this syndrome," Iwasaki noted.

Emerging research on persistent post-vaccination syndromes (PVS) is raising critical concerns about long-term immune responses in people who received the mRNA injections.

One of the most striking findings is the presence of circulating spike protein months to years post-vaccination.

GET BIG DISCOUNTS ON PREMIUM TECH PRODUCTS!

- Prices slashed on these best-selling gadgets -

The finding confirms that vaccine-derived antigens are not efficiently cleared.

This persistent antigenemia is chronic inflammation and prolonged immune activation, mirroring mechanisms observed in long COVID.

Compounding this issue, evidence of Epstein-Barr Virus (EBV) reactivation in PVS patients has been identified.

This is a troubling finding given EBV's well-documented role in autoimmune diseases such as multiple sclerosis and systemic lupus erythematosus.

Elevated autoantibody levels further suggest that dysregulated immunity post-vaccination may trigger or exacerbate autoimmune responses.

It raises significant concerns about long-term health implications.

Additionally, increased TNF α + CD8 T cell activation points to an ongoing inflammatory state that may underlie the systemic fatigue, neurological symptoms, and immune dysfunction reported by PVS patients.

Dr. Krumholz and Harold H. Hines, Jr. Professor of Medicine at Yale, said:

"It's clear that some individuals are experiencing significant challenges after vaccination.

"Our responsibility as scientists and clinicians is to listen to their experiences, rigorously investigate the underlying causes, and seek ways to help."

Bhattacharjee et al.'s study provides compelling evidence of immune dysregulation in individuals with chronic illness post-Covid vaccination, including altered T cell populations, EBV reactivation, autoantibody production, and persistent spike antigenemia.

1
Meanwhile, the study comes as the U.S. Food and Drug Administration (FDA) has just made the [explosive admission](#) that Covid mRNA "vaccines" are spiked with contaminations that triggered a global surge in cancers.

The federal agency made the admission after an FDA study confirmed that Pfizer's Covid mRNA "vaccine" contains dangerous levels of excess DNA contamination.

[READ MORE – FDA Admits Covid mRNA 'Vaccines' Cause Cancer](#)

SHARE:

Donate to Slay News

Help to keep Slay News independent by donating today! All donations go directly to supporting our fearless journalism.

\$ 100

\$ 10	\$ 25	\$ 50
\$ 100	\$ 250	Custom Amount

Make this donation monthly

Continue >

Secure Donation



READERS' POLL

Who is the best president?

Biden

Trump

Obama

Email

Vote

By completing this poll, you gain access to our free newsletter. Unsubscribe at any time.

TOP DEALS FROM [PREMIUM GADGET STORE](#)

Mini GPS Tracker



Compact GPS Locator GF-07 - Easy Installation & Precise Tracking for Vehicles

\$9.99 ~~\$49.99~~

GET DEAL

Our comment section is restricted to members of the Slay News community only.

To join, create a free account [HERE](#).

If you are already a member, log in [HERE](#).

Subscribe ▼

[Login](#)

Please login to comment



RECOMMENDED





This War Is FAR More Dangerous Than You're Being Told | COL. Douglas Macgregor...



American Patriotic Legends - Compilation...



The deportations INTENSIFY. - Liberal Hivemind...



This was a message. - Liberal Hivemind...



Tom Fitton Just Exposed Patel and the FBI. We were lied to...



Scott Adams: Why are only Western countries expected to have open borders?...



LATEST NEWS



New 'Breathable' Covid 'Vaccine' Advances Through U.S Clinical Trials



Toxic Microplastics Found in Human Reproductive Fluids amid Global Fertility Crisis



Hundreds of Dangerous Criminals, Illegal Aliens Arrested During Major Operation in New Jersey



Trump Admin Cracks Down on Rainbow Crosswalks in Push to Cut Road Deaths



Democrat Rep Henry Cuellar Praises Trump's Border Policies

Support Slay News

Bitcoin



bc1qn90ny9g523r3kftt24ggrla7zhfd9v2t8ny75p



Donate to Slay News

Help to keep Slay News independent by donating today! All donations go directly to supporting our fearless journalism.

\$ 100

\$ 10	\$ 25	\$ 50
\$ 100	\$ 250	Custom Amount

Make this donation monthly

Continue >

🔒 Secure Donation

[Log in](#)

[Edit Profile](#)

[Register](#)

[Support Us](#)

[Advertising](#)

[Privacy Policy](#)

[Terms of Use](#)

[Slay News Editorial Standards](#)

[Contact Us](#)

[About Slay News](#)

[Culture](#)

[Economy](#)

[Entertainment](#)

[News](#)

[Opinion](#)

[Politics](#)

contact@slaynews.com

7/7/25, 11:31 AM

Yale Scientists Confirm Covid 'Vaccines' Cause VAIDS - Slay News

63 Us Hwy #21 Jonesville, North Carolina(NC), 28642

7:00AM - 6:00PM Sun - Fri

© 2025 Slay News

